General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some
 of the material. However, it is the best reproduction available from the original
 submission.

Produced by the NASA Center for Aerospace Information (CASI)

Made available under NASA sponsorshi semination of Earth Resources Survey in the interest of early and wide dis-Program inforgation and without

Lockheed A SUBSIDIARY OF LOCKHEED CORPORATION 1830 NASA Road 1, Houston, Texas 77058 Tel. 713-333-5411

Company, Inc.

JSC-14901

JUL 1979

1 0. 2 5 0

160283

Ref: 642-7617 Contract NAS 9-15800 Job Order 73-705-01

TECHNICAL MEMORANDUM

COMPOSITION AND ASSEMBLY OF A SPECTRAL-MET DATA BASE FOR SPRING AND WINTER WHEAT

VOLUME I

Ву

M. H. Trenchard, M. L. Sestak, M. C. Kinsler, and D. E. Phinney

(E79-10250) LARGE AREA CROP INVENTORY COMPOSITION AND EXPERIMENT (LACIE) . ASSEMBLY OF A SPECTRAL-MET DATA BASE FOR SPRING AND WINTER WHEAT, VOLUME 1 (Lockheed 26 p HC A03/MF A01 Electronics Co.)

N79-31710

Unclas 00250 G3/43

Approved:

L. Carroll, Manager EO Development and Evaluation Department

1. Report No. JSC-14901	2. Government Accessi	on No.	3. Recipient's Catalog	No.			
4. Title and Subtitle			5. Report Date				
COMPOSITION AND ASSEMBLY OF A S	DECTRAL MET DATA	BASE	May 1979				
FOR SPRING AND WINTER WHEAT, VO		BASE .	6. Performing Organia	zation Code			
7. Author(s)			8. Performing Organiz	ration Report No.			
M. H. Trenchard, M. L. Sestak, D. E. Phinney	nd	LEC-13393					
Performing Organization Name and Address			10. Work Unit No.				
Lockheed Electronics Company, I Systems and Services Division	nc.	<u> </u>	11. Contract or Grant	No.			
1830 NASA Road 1			NAS 9-15800				
Houston, Texas 77058		+	13. Type of Report ar	d Period Covered			
12. Sponsoring Agency Name and Address National Aeronautics and Space	Administration		Technical Memor				
Lyndon B. Johnson Space Center Houston, Texas 77058	Administration	Ì	14. Sponsoring Agency	Code			
JSC Technical Monitor: J. D. E	rickson						
16. Abstract An extensive data set has been meteorological, and ground-trut							
phases of LACIE. Details of the are accompanied by a documentat	e data sources a	nd the manner in w	which they were				
are accompanies by a contamental							
17. Key Words (Suggested by Author(s))		18. Distribution Statement					
Landsat data							
Ground truth							
Multispectral data							
Meteorological data Crop model							
19. Security Classif. (of this report)	20. Security Classif. (of Unclassified	this page)	21. No. of Pages	22. Price*			
Unclassified		25					

CONTENTS

Sec	ion				Pa	age
1.	INTRODUCTION				1-	-1
2.	PROCEDURE				2-	-2
3.	PRODUCT AND USAGE					-1
APP	ENDIX					
ITS	DATA BASE GROUND-TRUTH	OBSER	RVATION	CODE KEY	A-	-1

THE PLANT PLANT PLANT

TABLES

Table		Page
2-1	LACIE SEGMENTS USED IN THE SPECTRAL-MET DATA BASE WITH METEOROLOGICAL STATION DETAILS	2-3
2-2	ENTIRE SEGMENTS DESIGNATED AS TEST	2-4
2-3	FIELD DESIGNATIONS BY LACIE PHASE	2-4
2-4	BREAKDOWN OF FIELD DESIGNATIONS BY LACIE PHASE WITH NUMBER OF USABLE ACQUISITIONS FOR THE SEGMENT	2-5
2-5	DATA BASE COMPONENTS	2-6
	(a) Types of data	2-6 2-6
2-6	FORMAT OF SPECTRAL DATA BASE	2-7
	(a) Card image types	2-7 2-7
2-7	FORMAT OF GROUND-TRUTH INVENTORY	2-8
2-8	FORMAT OF GROUND-TRUTH PERIODIC OBSERVATIONS	2-9
2-9	FORMAT OF DAILY METEOROLOGICAL DATA BASE	2-10
	(a) Card image types	2-10 2-10
2-10	SATELLITE DETAILS BY LACIE PHASE NUMBER, SEGMENT NUMBER, AND ACQUISITION DATE	2-11

ACRONYMS AND ABBREVIATIONS

ASCS Agriculture Stabilization and Conservation Service

CMS conversational monitoring system

EOD-LARSYS Earth Observations Division of the LARS System

FCIC Federal Crop Insurance Corporation

FN file name

FT file type

ITS intensive test site

LACIE Large Area Crop Inventory Experiment

Landsat Land Satellite

LARS Laboratory for Applications of Remote Sensing

NOAA National Oceanic and Atmospheric Administration

Spectral-Met spectral meteorological

\$STAT statistics

USDA U.S. Department of Agriculture

1. INTRODUCTION

During the Large Area Crop Inventory Experiment (LACIE), the spectral data gathered by the Land Satellite (Landsat) was used almost exclusively in crop identification and acreage estimation strategies, whereas ground observations alone were used as inputs to crop calendar and yield modeling efforts. Plans were generated for combining the spectral, meteorological, and ground observations data into a data base that would be available to Laboratory for Applications of Remote Sensing (LARS) users. Future research plans include using this data base for the development of hybrid spectral meteorological (Spectral-Met) crop calendar and yield models.

A prime source of data for this undertaking was the 28 LACIE segments designated as intensive test sites (ITS's) during LACIE Phases I, II, and III. To complement the imagery gathered by the Landsat, detailed ground-truth data were also acquired for specific fields at these sites. The ground-truth data included periodic observations of crop development and conditions as well as ancillary information concerning cropping practices, crop type, acreage, and final yield estimates. In addition, climatological data of daily maximum and minimum temperatures and precipitation, which were published for cooperative stations located near the ITS's, were obtainable.

Because of the way all these data were acquired, their components were not entirely compatible or easily used by the research community. The spectral data were accessible only with special software developed primarily for classification techniques. Ground-truth data were assembled and stored on tape by the U.S. Department of Agriculture (USDA). Climatological data were available only through the National Oceanic and Atmospheric Administration (NOAA) publications or specially ordered tapes. Therefore, an effort was made to assemble a comprehensive data base which was compact, internally consistent, and easy to use. This paper is a report on the effort to assemble the Spectral-Met data base.

2. PROCEDURE

The first step of the task was the selection of ITS's and the fields within them. Of the original 28 ITS segments, two segments (one in Glacier County, Montana, and one in Shelby County, Indiana) were eliminated completely because of inadequate ground-truth data or missing spectral data. The remaining 26 segments, represented by one or more years as ITS's are listed in table 2-1. The individual fields in each segment were also screened and selected based upon data completeness. The fields were then uniquely renumbered with a code for crop type.

The second step was to designate a set of fields for which all data would be separated and withheld from users as a test set. The choice of these fields was made after certain segments were designated entirely for testing (see table 2-2). The yields for the remaining fields were stratified into three levels (high, medium, and low), of approximately equal size. About 40 to 50 percent of the fields in each level were selected randomly and designated as test fields. The overall field allocation by LACIE Phase appears in table 2-3. A more detailed breakdown appears in table 2-4.

Assembling the four components of the data base was the third step. A major phase was the generation of the spectral data base. This involved careful delineation of the fields within each segment. Each Dell Foster deck of field coordinates was further processed by reformatting and combining with a set of control cards which were acceptable to the Earth Observations Division version of the LARS System (EOD-LARSYS) software package. The statistics (\$STAT) processor option was used to select the Landsat spectral data from magnetic tape and generate scene and individual field statistics. These data, which include the mean and standard deviation for the four channels of each field for each acquisition, were coded and punched on cards in a format described in tables 2-5 and 2-6. In all, over 300 tape files were scanned for spectral data. These cards make up three files, one for each LACIE Phase, and represent the spectral component of the data base.

Two other components, the ground-truth inventory and the ground-truth observations were produced by a reduction of the USDA tape assembled for all fields in each LACIE Phase. These two components exist as six files, three of each type by LACIE Phase. The format appears in tables 2-5, 2-7, and 2-8. The code key for the ground-truth observations appears in appendix A.

The final component of the data base was daily meteorological data for a representative station for each segment. The stations and pertinent details appear in table 2-1. This part of the data consists of the daily meteorological observations, maximum and minimum air temperatures, and total precipitation. These data were coded and punched on cards for the period of January 1, 1974 through December 31, 1977. The format for these data appears in table 2-9. Ancillary satellite data by LACIE Phase, segment, and acquisition date appear in table 2-10.

All data relating to a particular field designated to be used in testing were removed and placed in a corresponding test data base.

TABLE 2-1.— LACIE SEGMENTS USED IN THE SPECTRAL-MET DATA BASE WITH METEOROLOGICAL STATION DETAILS

Segment	County	State	Station	Station	Coordi	nates	Eleva	ion
number	Country	alate	name	number	Latitude	Longitude	Meters	Feet
1687	Hand	SD	Miller	395561	44.52° N.	98,98° W.	483.7	1587
1960	Finney	KS	Garden City	142980	37.98° N.	100.82° W.	865.6	2840
1961	Morton	KS	E1khart	142432	37.00° N.	101.90° W.	1103.4	3620
1962	Saline	KS	Salina	147160	38.80° N.	97.63° W.	383.1	1257
1963	Rice	KS	Sterling	147796	38.22° N.	98.20° W.	498.7	1636
1964	Ellis	KS	Russell	147046	38.87° N.	98.82° W.	568.1	1864
1965	Burke	ОΝ	Bowbells	320961	48.80° N.	102.25° W.	596.8	1958
1966	Williams	ND	Wildrose	329400	48.63° N.	103.17° W.	691.9	2270
1967	Divide	ND	Crosby	321871	48.90° N.	103.30° W.	595.0	1952
1969	Tool e	МТ	Goldbutte	243617	48.98° N.	111.40° W.	1066.1	3498
1970	Liberty	MT	Joplin	244512	48.58° N.	110.78° W.	1024.1	3360
1971	ห า 11	MT	Havre	243996	48.55° N.	109.77° W.	787.6	2584
1972	Whitman	WA	Rosalia	457180	47.23° N.	117.37° W.	731.5	2400
1973	Whitman	WA	LaCrosse	454338	46.82° N.	117.88° W.	451.1	1480
1974	Whitman	WA	Colfax	451586	46.88° N.	117.38° W.	595.8	1955
1975	Oneida	ID	Malad	105544	42.20° N.	112.27° W.	1432.6	4700
1976	Franklin	ID	Preston Sugar Factory	107353	42.07° N.	111.85° W.	1438.7	4720
1977	Bannock	ID	Fort Hall Indian Agency	103297	43.03° N.	112.43° W.	1359.4	4460
1978	Randall	тх	Canyon	411430	34.98° N.	101.93° W.	1094.2	3590
1979	Deaf Smith	TX	Hereford	414098	34.80° N.	102.47° W.	1170.4	3840
1980	01dham	тх	Vega	419330	35.25° N.	102.42° W.	1222.2	4010
1982	Madison	IN	Anderson Sewage Plant	120177	40.10° N.	85.72° W.	258.1	847
1983	Boone	IN	Whitestown	1 295 57	40.00° N.	86.33° W.	249.6	819
1986	Hand	SD	Miller	395561	44.52° N.	98.98° W.	483.7	1587
1987	Polk	MN	Crookston NW Experiment Station	211891	47.80° N.	96.62° W.	269.1	883
1988	Finney	KS	Garden City	142980	37.98° N.	100.82° W.	865.6	2840

TABLE 2-2. - ENTIRE SEGMENTS DESIGNATED AS TEST

Compat	County	Ctoto	LACIE		
Segment	County	State	Phase	Fields	Acquisitions
1964	Ellis	Kansas	I	20	Ì
1964	Ellis	Kansas	II	34	7
1964	Ellis	Kansas	III	39	וו
1967	Franklin	Idaho	I	8	8
1969	Toole	Montana	II	21	4
1973	Whitman(3)	Washington	II	14	9
1973	Whitman(3)	Washington	III	16	7
1980	01dham	Texas	I	20	. 5
1980	01dham	Texas	II	2	10
1983	Boone	Indiana	II	5	7

TABLE 2-3.— FIELD DESIGNATIONS BY LACIE PHASE

	Number of fields									
Purpose	LACIE Phase I	LACIE Phase II	LACIE Phase III	Overall						
Modeling	183	285	86	554						
Test and evaluation	171	234	111	516						
Total	354	519	197	1070						

TABLE 2-4.— BREAKDOWN OF FIELD DESIGNATIONS BY LACIE PHASE WITH NUMBER OF USABLE ACQUISITIONS FOR THE SEGMENT

III	Number of	acquisitions	4			œ	13	-								7			-		7		9		2	9	47	80
LACIE Phase	elds	Total	53			33	12	39			_					16					ø		7		ю	80	8	56
LACI	er of fields	Test	12			14	4	39								16					2		٣		_	m	۷	2
	Number	Model	7			19	80	0								0					4		4		2	ß	=	91
II	Number of	ac sitions	9		7	16	7	7	7	2	9	4	80	8	_	6	9	13	S	r.	ස	6	10	89	7		9	נ
LACIE Phase	fields	Total	51	-	80	32	20	34	13	53	8	21	6	83	30	14	<u>ج</u>	54	12	52	18	=	~	ю	5		13	88
LACI		Test	30		m	0	m	34	ري د	2	m	12	m	1	10	14	12	61	2	10	7	4	- 2	_	5		7	54
	Number of	Model	31		S	32	7	0	8	32	2	0	9	17	20	0	19	15	7	15	=	7	0	2	0		12	34
I	Number of	acquisitions		_	ж	2		~	4						_	_	_	4	80	7	_	<i>-</i>	5	4		4	2	
LACIE Phase	fields	Total		21	18	25	17	50	13						15	15	18	22	ω	22	24	4	20	7	-	=	74	
LAC	4	Test		æ	80	10	80	50	2						9	9	8	80	89	ထ	2	2	20	e		4	53	
	Number o	Model		13	10	15	on.	0	80				_		6	6	10	14	0	14	14	2	0	4		7	45	i
Commont	gueare	county	Hand(1)	Finney	Morton	Saline	Rice	Ellis	Burke	Williams	Divide	Toole	Liberty	Hill	Whi tman(1)	Whitman(2)	Whitman(3)	Oneida	Franklin	Bannock	Randall	Deaf Smith	01 dham	Madison	Boone	Hand(2)	Polk	Finney
3	N. T. C.	radiliber.	1687	1960	1961	1962	1963	1964	1965	1966	1967	1969	1970	161	1972	1973	1974	1975	9261	1977	1978	1979	1980	1982	1983	1986	1987	1988

TABLE 2-5.— DATA BASE COMPONENTS

(a) Types of data

Da ta	Block number	Number of files	LACIE Phase or segment number	Approximate number of card images
Spectral	1	3	One file per Phase	3 500
Ground-truth inventory	2	3	Three files per Phase	400
Ground-truth periodic observations	3	3	Three files per Phase	1 600
Meteorological (daily)	4	26	One file per segment	7 000
Total		35		12 500

(b) Data base components on LARS tape 3931

[Note: Four blocks in conversational monitoring system format]

Block number and	File	
number of files	Name	Туре
1)	1	MSPEC
1 } 3 files	2	MSPEC
1)	3	MSPEC
2)	1	MGRND
2 3 files	2	MGRND
2)	3	MGRND
3)	1	MOBS
3 a files	2	MOBS
3)	3	MOBS
4 26 files	The seg- ment number	MET

TABLE 2-6.— FORMAT OF SPECTRAL DATA BASE

(a) Card image types

Туре	Definition
Segment	Contains segment statistics only
Field	Contains individual field statis- tics and segment means

(b) Format for all cards

[Note: For assembling, one segment card precedes a set of field cards for each acquisition.]

Column numbers	Definition	Fortran
JOTAMIN HAMBELD	50,1111,011	format
1 through 4	Segment number	14
5 through 8	Acquisition date (Julian)	14
9	First digit of segment number or code for crop type of field	A1
10 through 12	Last three digits of segment number or three digit field number	13
13 through 18	Channel 1 mean of segment or field	F6.2
19 through 24	Channel 2 mean of segment or field	F6.2
25 through 30	Channel 3 mean of segment or field	F6.2
31 through 36	Channel 4 mean of segment or field	F6.2
37 through 41	Channel 1 standard deviation of segment or field	F5.2
42 through 46	Channel 2 standard deviation of segment or field	F5.2
47 through 51	Channel 3 standard deviation of segment or field	F5.2
52 through 56	Channel 4 standard deviation of segment or field	F5.2
57 through 62	Channel I mean of segment only	F6.2
63 through 68	Channel 2 mean of segment only	F6.2
69 through 74	Channel 3 mean of segment only	F6.2
75 through 80	Channel 4 mean of segment only	F6.2

TABLE 2-7.- FORMAT OF GROUND-TRUTH INVENTORY

Column number	Definition
1 through 4	ITS segment number
5 through 8	Data base selection field number
9 through 12	LACIE field number
13 through 14	Crop year (harvest)
15 through 20	Date inventory began
21 through 26	Data inventory ended
27 through 30	Field acreage (tenths)
31 through 33	Land use code
34	Fertilized (Y/N)
35	Irrigated (Y/N)
36 through 41	Planting date
42 through 47	Date harvest information collection began
48 through 53	Date harvest information collection ended
54 through 59	Harvest date
60 through 63	ASCS yield
64 through 67	Farmer estimate of yield
68 through 71	Sample weight yield
72 through 75	FCIC yield
76	Stand quality index
77	Comments (Y/N)

Symbol definitions:

ASCS — Agriculture Stabilization and Conservation Service.

FCIC — Federal Crop Insurance Corporation.

Y/N - Yes or no.

TABLE 2-8.— FORMAT OF GROUND-TRUTH PERIODIC OBSERVATIONS

(Note: If an observation was missed, fields after column 34 are blank.)

Column number	Definition
1 through 4	ITS segment number
5 through 8	Data base selection field number
9	Blank
10 through 13	LACIE field number
17	Blank
15 thro:Պh 16	Crop year (harvest)
17	Blank
18 through 19	Observation number
20	Blank
21 through 26	Satellite pass date
27	Blank
28 through 33	Observation date
34	Blank
35 through 38	Rainfall since last observation (tehths of an inch)
39	Blank
40 through 43	Field acreage (tenths)
44	Blank
45 through 47	Land use code
48	Blank
49 through 50	Growth stage code
51	Blank
52 through 53	Ground cover code
54	Blank
55 through 57	Plant height inches
58	Blank
59	Surface moisture code
60	Blank
61	Weed growth code
62	Blank
63 through 64	Field operation code
35	Blank
65 through 67	Growth/yield detractants
68	Blank
69	Stand quality code
70	Blank
71	Comments (Y/N)

Symbol definition:

Y/N — Yes or no.

TABLE 2-9.- FORMAT OF DAILY METEOROLOGICAL DATA BASE

(a) Card image types

Туре	Definition
Header	Contains ancillary station data
Precipitation	Contains daily precipitation totals
Control card	Separates precipitation and temperature cards
Temperature	Contains daily maximum and minimum temperature values

(b) Format for all cards

[Note: For assembling, one header card followed by precipitation cards for four years, then one control card followed by temperature cards for four years.]

Column numbers	Definition	Fortran format
HEADER		
1 through 4	LACIE segment number	14
5	Blank	1 1X
6 through 7	State abbreviation code	A2
8	Blank	1 1 1
9 through 10	Code number of the state	12
11 through 14	Station code number	14
15	Blank	1 X
16 through 20	Station latitude (degrees)	F5,2
21	Blank	1%
22 through 27	Station longitude (degrees)	F6.2
28	Blank	1X
29 through 32	Station elevation (feet)	14
33	Blank	1 X
34 through 45	County name of segment location	3A4
PRECIPITATION		
1 through 2	Code number of state	12
3 through 6	Station code number	14
7 through 9	Julian date of first day's data on card	13
10	Blank	1%
11 through 74	16 daily precipitation totals (0.01 inch)	1614
75 through 78	Blank	4X
79 through 80	Calendar year	12
CONTROL CARD		
1 through 6	Blank	6X
7 through 9	Julian date value of -99 (separator)	13
TEMPERATURE	,	
1 through 2	Code number of state	12
3 through 6	Station number	14
7 through 9	Julian date of first day's data on card	13
10 through 69	10 daily maximum and minumum temperatures (°F)	2013
70	Blank	1X
71 through 72	Calendar year	12

TABLE 2-10.— SATELLITE DETAILS BY LACIE PHASE NUMBER, SEGMENT NUMBER, AND ACQUISITION DATE

Segment	LACI	E Phase I		LAC	[E Phase I	I	LACIE Phase III			
number	Acquisition date	Sun angle, deg	Satellite	Acquisition date	Sun angle, deg	Satellite	Acquisition date	Sun angle, deg	Satellite	
1987	-			6097	42	2	6289	31	2	
1987				6128	53	2	6290	31	2	
1987			<u> </u>	6182	56	2	7086	38	2	
1987			ĺ	6236	47	2	71 9 4	53	2	
1987				6254	42	2	ĺ			
1987				6272	36	2	}	}	Ì	
1960	5150	60	2		ĺ		Ì	1		
1961	4291	36	1	5277	41	2	}	ł		
1961	4345	23	1	6002	22	2	\	}		
1961	5169	60	2	6020	24	2				
1961				61 64	59	2				
1961	•			6200	56	2	1	•		
1961				6236	50	2				
1961				6254	46	2				
1962	4324	26	1	5274	40	2	6287	36	2	
1962	5131	57	2	5292	35	2	6305	30	2	
1962				5293	35	2	6323	25	2	
1962	\]	5311	29	2	7083	40	2	
1962				5328	25	2	7101	46	2	
1962				5364	21	2	7155	56	2	
1962	1			6053	31	2	7156	56	2	
1962				61 07	50	2	7227	49	2	
1962				6125	55	2				
1962				6126	55	2				
1962				6162	59	2				
1962	j			61 97	56	2				
1962	j	1		6198	56	2	İ			
1962				6233	50	2				
1962				6234	50	2				
1962		1		6251	46	2		·		
1963	5131	57	2	5275	40	2	6287	36	2	
1963	İ			5293	35	2	6288	35	2	
1963	ţ			5311	29	2	6305	30	2	
1963				6108	50	2	6306	30	2	
1963	[6162	59	2	6323	25	2	
1963	Ι.	1	1	6198	56	2	6234	25	2	
1963	l			6234	50	2	6360	20	2	
1963	ļ			j	1		7029	24	2	
1963	ļ		j	}	-	ļ	7030	23	2	
1963	İ	ļ			i		7048	28	2	
1963	İ]	ļ	1		7066	34	2	
1963	ļ	ļ	İ		1	}	7101	46	2	
1963	į				Į		7156	56	2	

TABLE 2-10.— Continued.

	LACI	E Phase I		LACIE Phase II			LACIE Phase III			
Segment number	Acquisition date	Sun angle, deg	Satellite	Acquisition date	Sun angle, deg	Satellite	Acquisition date	Sun angle, deg	Satellite	
1964	5113	52	2	6127	55	2	6288	35	2	
1964			l	6162	59	2	6306	30	2	
1964				6198	56	2	6234	25	2	
1964			Į	6217	53	2	6342	21	2	
1964				6234	50	2	6361	20	2	
1964			ļ	6235	50	2	7048	28	2	
1964				6253	45	2	706°	34	2	
1964							70'34	40	2	
1964	1	}	ļ	1	i) 	7156	56	2	
1964				!			7193	54	2	
1964		}		•			7211	51	2	
1965	5136	53	2	5281	31	2		ĺ		
1965	5154	56	2	6131	51	2		ł		
	51 55	56	2	6132	52	2				
1965	5191	55	2	6149	55	2				
1965	3191	33		6150	55	2			!	
1965	J	}]	6222	48	2)	j	
1965	ļ			6258	38	2				
1965					ł	!			1	
1966				6204	52	2				
1966				6222	48	2				
1967	[ĺ	6150	55	2	ĺ	Í	[
1967				6186	55	2				
1967			ļ	6204	52	2			!	
1967				6222	48	2	1		1	
1967	1	ł	}	6240	43	2	ŀ	ł	ł	
1967				6258	38	2	ļ		1	
1969				5287	29	2	}	Ì	i	
1969				5305	23	2	ĺ	ĺ		
1969	}			6030	18	2	1	1	}	
1969		ļ		61 56	55	2				
1970				5304	23	2				
1970				6101	42	2			j	
	1	}		6102	43	2	ļ	1]	
1970 1970				6137	53	2				
1970				6227	47	2				
				6245	42	2		1		
1970	1			6263	36	2		i		
1970 1970				6264	36	2		1		
				l.						
1971				6136	52	2				
1971	1			6137	53	2		<u></u>	<u> </u>	

TABLE 2-10.— Continued.

Segment	LACI	IE Phase I		LACI	E Phase I	I	LACIE Phase III			
number	Acquisition date	Sun angle, deg	Satellite	Acquisition date	Sun angle, deg	Satellite	Acquisition date	Sun angle, deg	Satellit	
1971				6155	55	2		İ		
1971		i		6208	51	2				
1971		Ì		6227	47	2	Ì	ļ		
1971		ļ		6244	42	2			ĺ	
1971		1		6245	42	2				
1971				6263	36	2				
1972	5218	51	2	6142	54	2	i			
1973	5183	56	2	5308	23	2	6285	30	2	
1973				6124	50	2	6286	30	2	
1973				6141	54	2	7045	22	2	
1973				6142	54	2	7046	22	2	
1973				6178	56	2	7100	42	2	
1973				6195	54	2	7118	47	2	
1973				6196	54	2	7208	50	2	
1973				6231	47	2			_	
1973				6268	36	2				
1974	5182	56	2	5308	23	2				
1974			i	61 24	50	2				
1974		,		6142	54	2				
1974				6195	54	2		}		
1974				6231	47	2		İ		
1974				6268	36	2				
1975	51 59	59	2	6136	56	2	İ			
1975	51 78	59	2	6137	56	2	İ			
1975	5195	57	2	61 55	58	2				
1975	5232	50	2	6172	58	2		[
1975	İ	ĺ		6173	58	2				
1975	i	İ	f	6190	56	2				
1975		ŀ		6191	56	2				
1975				6208	54	2		1		
1975	i		ŀ	6209	54	2				
1975				6226	50	2				
1975				6227	50	2				
1975			ŀ	6244	46	2	İ			
1975				6245	46	2				
1976	4299	30	1	5304	29	2		1		
1976	4317	25	1	6136	56	2		- 1		
1976	4335	21	1	6190	56	2		1		
1976	5159	59	2	6208	54	2				
1976	5177	59	2	6226	50	2		ļ		
1976	5195	57	2			ļ				

TABLE 2-10.— Continued.

Segment number	LACIE Phase I			LAC	LACIE Phase II			LACIE Phase III		
	Acquisition date	Sun angle, deg	Satellite	Acquisition date	Sun angle, deg	Satellite	Acquisition date	Sun angle, deg	Satellite	
1976	5213	54	2					i		
1976	5214	54	2			[ĺ			
1977	4299	29	1	6101	46					
1977	4300	29	1	6137	55					
1977	4317	24	1	6227	50)		<u></u>		
1977	4335	20	1	6245	45					
1977	4336	20	1	6263	40					
1977	5196	56	2							
1977	5214	53	2							
1978	51 33	58	2	5313	32	2	6290	37	2	
1978			_	5349	25	2	6307	33	2	
1978				6056	34	2	7032	27	2	
1978				6074	41	2	7049	31	2	
1978				6092	47	2	7050	31	2	
1978			i	6110	52	2	71 58	56	2	
1978				6164	59	2	7194	54	2	
1978				6218	54	2			_	
1979	5133	58	2	5277	42	2]		
1979	3133	30	2	5313	32	2		Ì		
1979				6020	26	2		i		
1979				6056	35	2				
1979	ļ			6074	41	2		4		
1979		'		6092	42	2		ŀ		
1979				6164	59	2				
1979				6218	54	2		}		
1979				6236	51	2				
1980	4291	38	1	5277	42	2	6290	37	•	
1980	4327	28	1	5313	32	2	7014	24	2 2	
1980	4345	25	1	5349	25	2	7014	27	2	
1980	5133	58	2	6020	25	2	7050	30	2	
1980	51 51	60	2	6056	34	2	7158	56	2	
1980	010.		-	6074	41	2	7194		_	
1980			1	6200	56	2	,134	54	2	
1980		1	}	6218	54	2	f	- }		
1980				6236	51	2	İ			
1980	1		ļ	6272	42	2		1		
- 1	4201	27	, [ĺ	-		
1982 1982	4281 4299	37 32	1	5284 5285	36	2				
1982	5005	20	1	5303	36 30	2 2	İ			
1982	5140	58	2	5303	25	2		1		
1702	3170	30		3361	2.5				·	

TABLE 2-10.— Concluded.

Segment	LACI	LACIE Phase I			E Phase I	1	LACIE Phase III			
number	Acquisition date	Sun angle, deg	Satellite	Acquisition date	Sun angle, deg	Satellite	Acquisition date	Sun angle, deg	Satellite	
1982				6082	40	2				
1982	Ì			61 54	58	2	İ			
1982				6226	51	2		ļ		
1982				6243	47	2		ĺ		
1983				5303	30	2	6352	19	2	
1983				5321	25	2	7130	53	2	
1983				6082	40	2				
1983		!		6100	47	2				
1983				61 72	58	2				
1983				6226	51	2				
1983				6224	47	2				
1986	51 50	57	2				6307	25	2	
1986	5150	58	2				7139	53	2	
1986	5169	58	2				7140	53	2	
1986	5187	57	2				71 57	55	2	
1986							7194	53	2	
1986							7211	50	2	
1987	5151	56	2	5312	22	2	7121	48	2	
1987	5186	56	2	61 27	51	2	7175	54	2	
1987	5.55		_	6145	55	2	7193	52	2	
1987				6163	56	2	7211	49	2	
1987				6181	56	2				
1987				6199	53	2			!	
1988				5295	34	2	6253	46	2	
1988				5312	30	2	6289	35	2	
1988				5349	23	2	6290	35	2	
1988				6001	22	2	6362	20	2	
1988				6002	21	2	7067	23	2	
1988				6037	26	2	71 04	47	2	
1988				6038	27	2	7175	56	2	
1988				6109	51	2	7211	51	2	
1988	}			61 27	55	2				
1988				6164	59	2				
1988			;	6272	49	2				

3. PRODUCT AND USAGE

The data for the test fields has been removed, and the entire data base is available to LARS users; the tape number is 3931 in conversational monitoring system (CMS) format. A card image tape is available upon request.

The following information is significant to users of the Spectral-Met data base. The data base has four main components of data which are spectral data, ground-truth inventory, ground-truth periodic observations, and meteorological data. Each component is segmented on the tape as blocks and the blocks consist of files which are segregated by file name (FN) and file type (FT). In the first nine files, the FN designates the LACIE Phase number for the data, and the FT designates the type of the data. In the last 26 files, the FN designates the represented ITS segment number, and the FT is for meteorological data. A total of 35 files and approximately 12 500 card images are in a data set (see table 2-5). A complete dump of the contents of the files appears in Volume II of this document.

Data sets are sorted by ITS segment number, field number, and acquisition date. All fields were screened for completeness of data and the field eliminated if missing data were evident.

APPENDIX ITS DATA BASE GROUND—TRUTH OBSERVATION CODE KEY

APPENDIX

ITS DATA BASE GROUND_TRUTH

OBSERVATION CODE KEY

PART I: Land Use Crop Codes

PART I: Land Use Crop Codes (Continued)

- 600 Other Crops (General)
- 601 Rapeseed
- 602 Rye 603 Mustard
- 604 Flax (General) 605 Noralta Flax
- 606 Redwood Flax
- 607 Corn
- 610 Buckwheat
- 611 Sunflowers
- 612 Dry Beans
- 613 Lentils
- 614 Dry Peas
- 615 Sugar Beets
- 616 Grain Sorghum
- 617 Soybeans
- 618 Cotton
- 619 Mixed Small Grains
- 700 Summer Fallow
- 800 Non-Agriculture
- 900 Unknown Crops

PART II: Field/Crop Description Codes

GROWTH STAGES

- 01 Not Planted
- 02 Planted No Emergence
- 03 Emergence
- 04 Tillering, Preboot, Prebud 05 Booted or Budded
- 06 Beginning to Head or Flower 07 Fully Headed or Flowered
- OB Beginning to Ripen
- 09 Ripe Mature
- 10 Harvested
- 11 Does Not Apply

GROUND COVER (%)

- 1 0- 19
- 2 20 39
- 3 49- 59
- 4 60 79
- 5 80-100

SURFACE MOISTURE CONDITIONS

- I Dry
- 2 Damp
- 3 Wet
- 4 Standing Water

WEED GROWTH

- 1 Negligible
- 2 Slight
- 3 Moderate
- 4 Heavy

FIELD OPERATIONS

- 01 Bare Ground
- 02 Bare Disked/Cultivated
- 03 Bare Plowed
- 04 Bareseeded
- 05 Standing Stubble
- 06 Stubble Disked/Cultivated
- 07 Stubble Plowed
- 08 Stubble Seeded
- 09 Burned
- 10 Grazed
- 11 Windrowed or Swathed
- 12 Mowed or Combined
- 13 Stacked or Baled
- 14 Other

PART II: Field/Crop Description Codes

GROWTH/YIELD DETRACTANTS

- 01 Salinity
- 02 Insects 03 Disease

- 04 Drought
- 05 Moisture
- 06 Wind

- 07 Hail 08 Frost 09 Birds
- 10 Pot Holes
- 11 Uneven Stand
- 12 Weeds
- 13 Winterkill
- 14 Lodging 15 Other

STAND QUALITY

- 1 Poor
- 2 Below Average
- 3 Average
- 4 Above Average 5 Excellent 6 Does Not Apply